



# Real solutions. Real alternative choice.

Being flexible means we help you keep costs down and quality high – even in today's competitive market. As an affordable alternative to national brands, our exclusive CP PRYME® specialty, engineering, and commodity resins are available in prime and utility grades and adaptable to any application – making it a real smart choice for your products.



Features	Benefits
Broad Sourcing	Double- and triple-sourced materials to provide products at a cost-effective price
Custom Color	Ability to achieve the desired application color or color effect
Custom Formulations	Customizable formulas to achieve application property requirements
Industry Specifications	Materials that meet ASTM, SAE, etc., specifications and supporting lot-to-lot certifications available
Low Minimum Order Quantity	Access to materials in quantities as low as 55 pounds (25 kilograms)
Multiple Cost/Property Performance Levels	To aid in achieving the ideal cost versus performance balance
Regulatory Approvals	Ability to provide resins that meet/comply with FDA/REACH/RoHS regulations
UL Rated Grades	UL 94 and UL 746 flame-rated resins to meet application requirements



## CP PRYME® Product/Property Packages

CP PRYME® products are available in multiple performance packages:

100 Series	Materials achieving superior performance properties. FDA and other regulatory compliances may be available
200 Series	Materials that balance cost vs. performance while achieving near prime performance properties
300 Series	Materials utilizing post-consumer or post-industrial feedstock for cost reduction and improved sustainability in less stringent applications



## Choice materials

With the plastics industry's most extensive portfolio offering more than 26,000 materials, we'll help you take your products from resin to reality.

	Conductive	Flame Retardant*	Glass Reinforced	High Heat	Long Fiber	Lubricated	Mineral Filled	Precolored	Reprocessed	Impact Modified	Transparent
ABS	•	•	•	•		•		•	•	•	•
Acetal	•		•			•		•		•	
Acrylic				•				•		•	•
Nylon	•	•	•	•	•	•	•	•	•	•	•
PC/ABS	•	•	•	•		•	•	•	•	•	
PC/PBT	•	•	•	•		•	•	•	•	•	
Polycarbonate	•	•	•			•		•	•	•	•
Polyester	•	•	•				•	•		•	
Polyethylene	•	•	•			•	•	•	•		
Polypropylene	•	•	•		•	•	•	•	•		•
Polystyrene	•	•						•	•	•	•
PPO/PPE	•	•	•	•		•	•	•	•	•	
SAN			•					•			•
Thermoplastic Elastomers (TPE)	•	•				•		•	•		•
Thermoplastic Polyurethane (TPU)	•		•		•			•			•

\*Not all grades offered are UL 94 approved. Please contact a Chase representative to confirm.

Physical property data sheets for CP PRYME® Resins can be obtained at [ChasePlastics.com](http://ChasePlastics.com) or by calling us directly at 800-232-4273

Any recommendation by Chase Plastics' personnel for the use of any material is based on tests or experience believed to be reliable. However, since the final processing and use of the product are beyond our control, we make no warranty as to such use or effects incidental to such use, handling or sale. CP Pryme® is a registered trademark of Chase Plastic Services, Inc. Certain performance series formulations may contain some level of recycled content. Please inquire through your Sales Contact for further clarification and specific information regarding recycled content. © May 2020, Chase Plastic Services, Inc.



6467 Waldon Center Drive • Clarkston, MI 48346  
248-620-2120 • orders 800-232-4273  
fax 248-620-3192

[ChasePlastics.com](http://ChasePlastics.com)

